PUBLIC NOTICE The United States Environmental Protection Agency

NOTICE OF PROPOSED ISSUANCE OF A NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMIT TO DISCHARGE TO WATERS OF THE UNITED STATES Public Notice No.: WA0001902 Technical Contact: Jill A. Nogi, MPH 206-553-1841 or 1-800-424-4372 ext. 1841

1 States Environmental Traces Region 10 1200 Sixth Avenue, OWW-191 Seattle, Washington 98101 (206) 553 0523

nogi.jill@epa.gov Public Notice Issuance Date: December 16, 20 Public Notice Expiration Date: February 3, 2017 1. Applicant

United States Fish and National Fish Hatchery 12790 Fish Hatchery Road

Leavenworth, Washington 98826

and Wildlife Service, Leavenworth

The Leavenworth National Fish Hatchery (LNFH) is part of a complex of three national fish hatcheries called the Leavenworth Fisheries Complex. The other two hatcheries that comprise the Complex are the Entiat National Fish Hatchery and the Winthrop National Fish Hatchery. The Entiat and Winthrop Hatcheries are currently authorized to discharge under the EPA's NPDES General Permit for Federal Aquaculture Facilities and Aquaculture Facilities Located in Indian Country within the Boundaries of the State of Washington (EPA Washington Hatchery GP). However; the LNFH will receive an individual NPDES permit due to more stringent requirements on temperature and total phosphorus

stringent requirements on temperature and total phosphorus based on the 2009 Wenatchee River Watershed Dissolved Oxygen and pH Total Maximum Daily Load Water Quality Improvement Report and the January 2012 Water Quality Standards for Surface Waters of the State of Washington [Chapter 143-2014 WAC].

2. Tentative Determination The Environmental Protection Agency (EPA) Region 10 has tentatively determined to issue a wastewater discharge permit to the LNFH.

3. Public Comments

Persons wishing to comment on the tentative determinations contained in the draft permit or wishing to request that a public hearing be held, may do so in writing to the Director at the above address or nogi.jill@epa.gov within 30 days of the date of this public notice. A request for a public hearing shall state the nature of the issues to be raised as well as the requester's name, address and telephone number. Comments must be received within the 30-day period to be considered in the formulation of final determinations regarding the application. All comments should include the name, address and telephone number of the commenter and a concise statement of the exact basis of any comment and the relevant facts upon which it is based.

based.

Persons wishing to comment on State Certification should submit written comments within the 30-day period to the submit written address below:

Water Quality Section Washington Department of Ecology Central Regional Office 1250 West Alder Street Union Gap, Washington 98903-0009

4. Administrative Record

The proposed NPDES permit and other related documents are on file and may be inspected at the EPA Region 10 office at the above address any time between 8:30 a.m. and 4:00 p.m. Pacific Time, Monday through Friday. Copies and other information may be requested by writing to the EPA at the above address to the attention of the NPDES Permits

Unit, by sending an e-mail to <u>washington.audrey@epa.gov</u>, or by calling (206) 553 0523. Copies of the draft permit and fact sheet can also be downloaded from the internet at www.epa.gov/r10earth/waterpermits.htm. The draft permit and fact sheet are also on file at the following locations:

US EPA Region 10 Washington Operations Office 300 Desmond Drive, SE, Suite 102 Lacey, Washington 98503

and the Washington Department of Ecology Central Regional Office 1250 West Alder Street Union Gap, Washington 98903-0009 Disability Reasonable Accommodation Notice:

If you need a reasonable accommodation for a disability please contact Jill Nogi at (206) 553-1841 (voice). TTY/TDD users please dial Washington Relay Service at (800) 833-6388. Please provide a one-week advance notice for special requests not related to ongoing programs and services.

and the